

## DeMaria, Eva

---

**From:** DeMaria, Eva  
**Sent:** Thursday, December 10, 2015 3:02 PM  
**To:** 'MCCLINCY Matt'  
**Cc:** PUGH Mark  
**Subject:** RE: Sulzer

Matt-

It's an SMA with PTW and capping (with a sliver of dredging) is the current technology assignment.

Eva

---

**From:** MCCLINCY Matt [mailto:MCCLINCY.Matt@deq.state.or.us]  
**Sent:** Thursday, December 10, 2015 11:18 AM  
**To:** DeMaria, Eva <DeMaria.Eva@epa.gov>  
**Cc:** PUGH Mark <PUGH.Mark@deq.state.or.us>  
**Subject:** Sulzer

Hi Eva,

We just want to confirm that EPA's optimized alternative includes a sediment cap adjacent to Sulzer. Please confirm that we are reading this correctly.

Thanks,

Matt

---

**From:** PUGH Mark  
**Sent:** Thursday, December 10, 2015 9:30 AM  
**To:** MCCLINCY Matt  
**Subject:** RE: Powerpoint Presentations to the National Remedy Review Board and Contaminated Sediments Technical Advisory Group Are Now Posted on the Portland Harbor Website

Matt,

I am following up on our brief discussion regarding proposed EPA remedy in front of Sulzer. Below is a blowup of the area. It is hard to tell, but it looks like there is a proposed cap adjacent to the two purple marks. Is there anyway you can contact EPA and verify that this indeed is a proposed cap?

